

ADDENDUM NO. 1
TO THE
CONTRACT DOCUMENTS
FOR
152ND AVENUE RESERVOIR
PROJECT 15-5188
FOR
CLACKAMAS RIVER WATER

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS TO THE SAME EXTENT AS THOUGH IT WERE ORIGINALLY INCLUDED THEREIN.

BIDDERS MUST ACKNOWLEDGE RECEIPT OF ALL ADDENDA ON THE BID PROPOSAL FORM. BID PROPOSALS THAT FAIL TO ACKNOWLEDGE ALL ADDENDA MAY BE CONSIDERED IRREGULAR AND MAY BE REJECTED.

ISSUED THIS 30TH DAY OF NOVEMBER, 2017.



MURRAYSMITH, INC.
888 SW 5th Avenue, Suite 1170
Portland, OR 97204
(503) 225-9010

ITEM NO. 1 - PRE-BID MEETING ATTENDEES LIST

A. Attached is the mandatory pre-bid meeting attendees list.

**ITEM NO. 2 – PROCUREMENT REQUIREMENTS, SECTION 00 45 13.10,
RESERVOIR CONTRACTOR STATEMENT OF QUALIFICATIONS FORM**

A. **REPLACE** page 00 45 13.10-4 of the Reservoir Contractor Statement of Qualifications Form with the attached page 00 45 13.10-4.

**ITEM NO. 3 – PROCUREMENT REQUIREMENTS, SECTION 00 45 13.50, UTILITY
MAIN CONTRACTOR STATEMENT OF QUALIFICATIONS FORM**

A. **REPLACE** page 00 45 13.50-4 of the Utility Main Contractor Statement of Qualifications Form with the attached page 00 45 13.50-4.

**ITEM NO. 4 – PROCUREMENT REQUIREMENTS, SECTION 00 45 13.60,
EARTHWORK CONTRACTOR STATEMENT OF QUALIFICATIONS FORM**

A. **REPLACE** page 00 45 13.60-4 of the Earthwork Contractor Statement of Qualifications Form with the attached page 00 45 13.60-4.

**ITEM NO. 5 – DRAWINGS, SHEET S-3, RESERVOIR ROOF PLAN AND FLOOR
AND FOUNDATION PLAN**

A. For Note 1 of the “SLAB CONSTRUCTION NOTE” section, which begins “THE ROOF AND FLOOR SLABS...”, **ADD** with the following sentence at the end of the note:

“ALTERNATELY, THE ROOF AND FLOOR SLABS MAY BE POURED IN QUADRANTS WITH CONSTRUCTION JOINTS PLACED ORTHOGONALLY.”



Clackamas River Water

PRE-BID MEETING
152nd Reservoir Project, 15-5188

NOVEMBER 28, 2017

10:00 AM / CRW Admin Office

Pre-Bid Attendance Is Mandatory For All Prospective Bidders! Bids Will Not Be Considered From Bidders Who Fail To Sign This Attendance Sheet!

| Name | Agency | Phone | Email |
|-----------------|-------------------------|----------------|--------------------------------|
| Randy Stebner | James W. Fowler Co. | 503 623 5373 | randys@jwfowler.com |
| Arin Atiyeh | Emery and Sons | 503 588 7576 | Bids@emeryandsons.com |
| John Salihoglu | DN TANKS | 503 208 4446 | john.salihoglu@dn tanks.com |
| Chris Young | DN Tanks | 503 323-2000 | Chris.Young@DNTanks.com |
| Scott Sarkinen | Rotschy Inc. | 360-334-3100 | scotts@rotschyinc.com |
| Tim Whitehead | Kerr Contractors Oregon | 971-246-0550 | twhitehead@kerrcontractors.com |
| Allen OEST | WARD-HEWSHAW | 503 266-1986 | Allen@WARD-HEWSHAW.COM |
| MICHAEL EUBANKS | WARD-HEWSHAW | 503-266-1986 | MIKE@WARD-HEWSHAW.COM |
| T.J. Landis | Landis; Landis | 503 466 9043 | tjlandis@llconstruction.com |
| TERRY COLE | HAVERE ELEC | 360 636-2227 | terrycole@havererectric.com |
| KEVIN DETTWYLER | KTE EXCAVATING | 503-399-4833 | kevin@keex.net |
| GLEN MITCHELL | NWMF&PIPE | (503) 706 8500 | gmitchell@nwmfp.com |
| Richard Krumm | NATT McDONNELL CO. | 503-783-0620 | Bids@nmc1988.com |
| Chris Gillins | Stellar J. | 360-518-5347 | bids@stellarj.com |
| Rob Beckhoff | McClure & Sons | 425-316-6999 | bids@mcclureandsons.com |
| JASON DANAENS | BARNHART CRANE | 503-778-9842 | J.DANAENS@BARNHARTCRANE.COM |
| RYAN CASCH | GOODFELLOW BROS. INC. | 503-728-8776 | RYAN@GOODFELLOWBROS.COM |



Clackamas River Water

PRE-BID MEETING

NOVEMBER 28, 2017

10:00 AM / CRW Admin Office

152nd Reservoir Project, 15-5188

Pre-Bid Attendance Is Mandatory For All Prospective Bidders! Bids Will Not Be Considered From Bidders Who Fail To Sign This Attendance Sheet!

| Name | Agency | Phone | Email |
|-----------------|------------------------------|----------------|----------------------------------|
| GARY STEPHENS | MOORE EXCAVATION INC. | 503-674-0900 | amber.hutchison@the-meigroup.com |
| Derek Bennett | Trench Line Excavation | 541-609-6111 | trenchlinederek@gmail.com |
| DAVE Alexander | Team Electric | 503-680-3892 | davea@teamelectrico.com |
| MIKE PARKIN | MARION CONSS | 503-581-1920 | MIKEP@MARIONCONSS.COM |
| Dennis Morgan | Northwest metal fab & piping | 503-793-7016 | dmorgan@NWMPA.com |
| Jack Burns | SKAAR Construction Inc. | 253-939-6671 | donna@skiconstruction.com |
| Randy Redinger | Tapani Inc | 360 687 1148 | Quofes@tapani.com |
| Kara Gunn | KIEWIT | 360 693 1178 | NW.Estimating@kiewit.com |
| Oryan Ballard | KIEWIT | (360) 772-9240 | oryan.ballard@kiewit.com |
| Amber Hutchison | MOORE Excavation Inc. | 503-674-0900 | amber.hutchison@the-meigroup.com |
| Spencer Smith | United Rentals Trench | (503) 781-8354 | ssmith@ur.com |
| Tim Janssen | Sunrise Water | (503) 761-0220 | tjanssen@sunrisewater.com |
| ADAM BJORNSTEDT | CLACKAMAS RIVER WATER | 503.722.9246 | ABJORNSTEDT@CRWATER.COM |
| TOM BOLAND | MURRAYSMITH | 503.225.9010 | TOM.BOLAND@MURRAYSMITH.US |
| Lael Alderman | MURRAYSMITH | 503.225.9010 | LAEL.ALDERMAN@MURRAYSMITH.US |

6. List the names, addresses and telephone numbers of the owners and project engineers, and completion dates and location of reservoirs located within Oregon, Washington and California which have been successfully constructed by the reservoir contractor during the last ten (10) years. Ideally, list five (5) reservoirs which shall be similar in design to the specified reservoir (i.e., fixed wall base, poured-in-place corewall, externally machine strandwrapped, etc.) and are at least 2.0 million gallons in volume, with at least two (2) of the five (5) reservoirs being similar in design to the specified reservoir and at least 4.0 million gallons in volume. Experience with reservoirs having fixed wall bases, mild-steel reinforced reservoir corewalls, shotcrete reservoir corewalls, precast reservoir corewalls or reservoir corewalls incorporating internal stressing systems or external machine single wire wrapping (in lieu of strandwrapping) shall not be considered in meeting the required experience requirements. (Provide an attachment if additional space is required.)

| Project Name, Owner & Reservoir Size | Year Completed | Name & Address of Owner Contact Person and Phone Number | Name & Address of Engineer Contact Person and Phone Number |
|--------------------------------------|----------------|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

6. The names, addresses and telephone numbers of the owners and project engineers, and completion dates and location of projects located within Oregon, Washington or California which have been successfully completed by the utility main contractor during the last seven (7) years. Ideally, listed projects shall be similar in design to the specified construction (i.e., utility/water transmission main installations of 24-inch diameter and greater of restrained ductile iron pipe for distances greater than or equal to 2,000 linear feet, off-site hauling of material through population centers, steep hillside installations, etc.). Project examples must demonstrate successful completion of the installation and discuss methods for limiting risk given the constraints set forth in the project plans and specifications. Project examples should demonstrate the ability to follow a precise work sequence of construction and successful overall project coordination in order to minimize the utility main installation time. (Provide an attachment if additional space is required.)

| Project Name, Owner & Water/Transmission Main Length and Diameter | Year Completed | Name & Address of Owner Contact Person and Phone Number | Name & Address of Engineer Contact Person and Phone Number |
|---|----------------|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

6. List the names, addresses and telephone numbers of the owners and project engineers, and completion dates and location of projects similar in scope to this project located within Oregon, Washington or California which have been successfully completed by the earthwork contractor during the last ten (10) years. Ideally, at least three (3) projects provided will have one or more of the work elements as listed below completed. Different projects may be submitted for each required work element listed below but ideally three (3) projects will be provided for each work element. Multiple work element requirements may be satisfied with a single project.

- Excavations in excess of 40,000 cubic yards (CY);
- Base preparation and construction of foundation drainage system and liner installation for two (2) new reservoirs at least 250,000 gallons in size;
- Off-site hauling of material through population centers

Project examples must demonstrate successful completion of the excavations and construction of reservoir foundation drainage system and discuss methods for limiting risk given the constraints set forth in the project plans and specifications. Project examples should demonstrate the ability to follow a precise work sequence of construction and successful overall project coordination in order to minimize time required for earthwork activities. (Provide an attachment if additional space is required.)

| Project Name, Owner & Related Specified Experience | Year Completed | Name & Address of Owner Contact Person and Phone Number | Name & Address of Engineer Contact Person and Phone Number |
|---|----------------|---|--|
| Excavations in excess of 40,000 CY 1. 2. 3. | | | |
| Base preparation & foundation drainage system for a new reservoir of 250,000+ gallons 1. 2. 3. | | | |
| Off-site hauling through population centers 1. 2. 3. | | | |